

Appendix

```
<tbl>{
  <tbl n="Version">{
    <s n="Major">3</s>
    <s n="Minor">2</s>
  }</tbl>
  <tbl n="Project">{
    <a n="Name">"PatentInt"</a>
    <i n="Project Type">0</i>
    <a n="EosFramework">""</a>
    <i n="App Type">0</i>
    <e n="Default Layout" t="Default Layout">1</e>
    <e n="Default Deployment" t="EosProjectGalleryType">0</e>
    <l n="Project Element Count">2</l>
    <str n="Java Package Name"></str>
    <e n="Java Error Message Level" t="EosJavaErrorMsgLevel">2</e>
    <b n="Using Legacy Database">F</b>
    <b n="Project Modified">T</b>
    <b n="Main Dialog In Web Browser">T</b>
    <a n="App CoClassID">"{31A04CC4-3ECA-11D3-AA64-00A0C98C85AF}"</a>
    <a n="App IID">"{31A04CC5-3ECA-11D3-AA64-00A0C98C85AF}"</a>
    <b n="Single Instance Application">T</b>
    <b n="Exit On Last Client Disconnect">T</b>
    <tbl n="Player">{
      <str n="List Picture">"CitrixDefBitmap.bmp"</str>
      <str n="Application Info String">"temp183_ComFramework Application"</str>
      <str n="Application Name">"temp183_ComFramework"</str>
    }</tbl>
    <str n="Company Name">"Project1 Company, Inc."</str>
    <str n="Product Name">"Project1"</str>
    <str n="Product Version">"0.0"</str>
    <str n="Copyright Message">"Copyright (C) 1999 Project1 Company, Inc. All Rights
Reserved."</str>
    <i n="Environment">1</i>
    <b n="Project Access">F</b>
    <b n="Enable Secure Communications">F</b>
    <b n="Extension Metadata">F</b>
    <tbl n="Client Connection Defaults">{
      <tbl n="Initial Dialog">{
        <tbl n="Dialog Properties">{
          <i n="Initially Hidden">0</i>
          <i n="Quit On Exit">0</i>
          <i n="Dialog Modality">2</i>
        }</tbl>
      }</tbl>
    }</tbl>
  }</tbl>
  <tbl n="Types List">{
    <tbl n="PatentIntObject^IntObject">{
      <str n="Name">"PatentIntObject^IntObject"</str>
      <a n="Super Class">"EosComProxy"</a>
      <l n="ID">1</l>
      <b n="Dirty">T</b>
      <b n="New Class">T</b>
      <tbl n="Property List">{
        <str n="COM Type Lib">"PatentIntObject"</str>
        <a n="COM Default Field">""</a>
        <str n="COM Default Name">"_IntObject"</str>
        <str n="COM Default">"{44A4DF21-5EDF-11D3-99EE-00A0C98C852D}"</str>
        <str n="COM Default Source"></str>
      }</tbl>
    }</tbl>
  }</tbl>
```

```

<str n="COM Default Source Name"></str>
<str n="COM Help File"></str>
<ul n="COM Help Context">0</ul>
<str n="COM CoClass">"{44A4DF22-5EDF-11D3-99EE-00A0C98C852D}"</str>
<str n="COM CoClass ProgID">"PatentIntObject.IntObject"</str>
<seq n="COM Co-Class Interface List">[
  <str>"{44A4DF21-5EDF-11D3-99EE-00A0C98C852D}"</str>
  <str>"{9FE7AAE0-EDD9-11D2-9C9F-00104B9CD34A}"</str> ]</seq>
<b n="Is Bound">T</b>
}</tbl>
<e n="EosStructType" t="EosStructType">1</e>
<str n="Header File">"PatentIntObject_IntObject"</str>
<str n="Implementation File">"PatentIntObject_IntObject"</str>
<str n="Last HPP Generated"></str>
<str n="Last CPP Generated"></str>
<a n="Last Class Generated">" "</a>
<tbl n="Fields">{
  <tbl n="intProperty">{
    <a n="Name">"intProperty"</a>
    <a n="class">"PatentIntObject^IntObject"</a>
    <tbl n="Property List">{
      <b n="Is Bound">T</b>
      <l n="COM Dispatch ID">1745027072</l>
      <tbl n="Property Funcs Info">{
        <tbl n="PUT Func">{
          <s n="COM InvokeKind">4</s>
          <us n="COM FuncFlags">0</us>
          <i n="COM FuncKind">4</i>
          <s n="Func Offset">40</s>
        }</tbl>
        <tbl n="GET Func">{
          <s n="COM InvokeKind">2</s>
          <us n="COM FuncFlags">0</us>
          <i n="COM FuncKind">4</i>
          <s n="Func Offset">44</s>
        }</tbl>
      }</tbl>
      <i n="COM VarType">2</i>
      <a n="COM TypeName">"EosNum<short>";"</a>
      <ul n="COM Help Context">0</ul>
    }</tbl>
    <l n="ID">2</l>
    <a n="eos_type">"EosNum<short>";"</a>
  }</tbl>
}</tbl>
<tbl n="Views">{
  <tbl n="MFC Dialog">{
    <a n="Interactor Name">"MFC Dialog"</a>
    <a n="Constructor">"EosEmbeddedView"</a>
    <tbl n="Local Descriptor">{
      <seq n="View Children">[ <tbl>{
        <e n="EosViewType" t="EosViewType">0</e>
        <a n="Interactor Name">"Box"</a>
        <str n="Caption">"Untitled"</str>
        <e n="EosInteractorType" t="EosInteractorType">0</e>
        <b n="Margin (Internal)">T</b>
        <seq n="View Children">[ <tbl>{
          <e n="EosViewType" t="EosViewType">2</e>
          <a n="Interactor Name">"ActiveX Numeric
VScrollBar"</a>
          <str n="Caption">"intProperty"</str>

```

```

<e n="EosInteractorType" t="EosInteractorType">0</e>
<e n="EosStructType" t="EosStructType">0</e>
<a n="Data Type">"EosNum<short>"</a>
<a n="Field Name">"intProperty"</a>
<a n="Editor Name">"</a>
<s n="Tab Order">2</s>
<a n="(Name)">"ScrollBar1"</a>
<tbl n="AxCtrlProps">{
  <str n="Size">"423;4815"</str>
}</tbl>
<l n="Default Min Y">100</l>
<l n="Default Max Y">1600</l>
<l n="Margin X">0</l>
<l n="Margin Y">0</l>
<l n="Size In X">16</l>
<b n="Can Stretch In X">F</b>
}</tbl> <tbl>{
  <e n="EosViewType" t="EosViewType">2</e>
  <a n="Interactor Name">"ActiveX Numeric TextBox"</a>
  <str n="Caption">"intProperty"</str>
  <e n="EosInteractorType" t="EosInteractorType">0</e>
  <e n="EosStructType" t="EosStructType">0</e>
  <a n="Data Type">"EosNum<short>"</a>
  <a n="Field Name">"intProperty"</a>
  <a n="Editor Name">"</a>
  <s n="Tab Order">3</s>
  <a n="(Name)">"TextBox1"</a>
  <tbl n="AxCtrlProps">{
    <ul n="VariousPropertyBits">746604571</ul>
    <str n="Size">"2990;556"</str>
    <str n="Value">"intProperty"</str>
    <ul n="FontHeight">165</ul>
    <uc n="FontCharSet">0</uc>
    <uc n="FontPitchAndFamily">2</uc>
  }</tbl>
  <l n="Default Min X">15</l>
  <l n="Default Min Y">1</l>
  <l n="Default Max X">300</l>
  <l n="Default Max Y">1</l>
  <l n="Margin Y">8</l>
  <e n="Size" t="EosSizeType">1</e>
}</tbl> <tbl>{
  <e n="EosViewType" t="EosViewType">0</e>
  <a n="Interactor Name">"Box"</a>
  <str n="Caption">"Untitled"</str>
  <e n="EosInteractorType" t="EosInteractorType">0</e>
  <b n="Margin (Internal)">T</b>
  <seq n="View Children">[ <tbl>{
    <e n="EosViewType" t="EosViewType">2</e>
    <a n="Interactor Name">"ActiveX Function
      Button"</a>
    <str n="Caption">"OK"</str>
    <e n="EosInteractorType"
      t="EosInteractorType">0</e>
    <e n="EosStructType" t="EosStructType">0</e>
    <a n="Data Type">"EosFunction"</a>
    <a n="Field Name">"okView"</a>
    <a n="Editor Name">"EosFunctionEditor"</a>
    <l n="Environment Object Id">0</l>
    <s n="Tab Order">0</s>
    <seq n="Mapper Children">[ <tbl>{

```

```

        <tbl n="Dialog Properties">{
            <i n="Dialog Modality">2</i>
        }</tbl>
    }</tbl> }</seq>
<a n="(Name)">"CommandButton1"</a>
<tbl n="AxCtrlProps">{
    <str n="Caption">"OK"</str>
    <str n="Size">"2593;661"</str>
    <ul n="FontHeight">165</ul>
    <uc n="FontCharSet">0</uc>
    <uc n="FontPitchAndFamily">2</uc>
    <uc n="ParagraphAlign">3</uc>
}</tbl>
<l n="Default Min X">18</l>
<l n="Default Min Y">1</l>
<l n="Default Max X">18</l>
<l n="Default Max Y">1</l>
<l n="Margin X">8</l>
<l n="Margin Y">12</l>
<e n="Size" t="EosSizeType">1</e>
}</tbl> <tbl>{
    <e n="EosViewType" t="EosViewType">2</e>
    <a n="Interactor Name">"ActiveX Function
        Button"</a>
    <str n="Caption">"Cancel"</str>
    <e n="EosInteractorType"
        t="EosInteractorType">0</e>
    <e n="EosStructType" t="EosStructType">0</e>
    <a n="Data Type">"EosFunction"</a>
    <a n="Field Name">"cancelView"</a>
    <a n="Editor Name">"EosFunctionEditor"</a>
    <l n="Environment Object Id">0</l>
    <s n="Tab Order">1</s>
    <seq n="Mapper Children">[ <tbl>{
        <tbl n="Dialog Properties">{
            <i n="Dialog Modality">2</i>
        }</tbl>
    }</tbl> ]</seq>
    <a n="(Name)">"CommandButton2"</a>
    <tbl n="AxCtrlProps">{
        <str n="Caption">"Cancel"</str>
        <str n="Size">"2593;661"</str>
        <ul n="FontHeight">165</ul>
        <uc n="FontCharSet">0</uc>
        <uc n="FontPitchAndFamily">2</uc>
        <uc n="ParagraphAlign">3</uc>
    }</tbl>
    <l n="Default Min X">18</l>
    <l n="Default Min Y">1</l>
    <l n="Default Max X">18</l>
    <l n="Default Max Y">1</l>
    <l n="Margin X">8</l>
    <l n="Margin Y">12</l>
    <e n="Size" t="EosSizeType">1</e>
}</tbl> <tbl>{
    <e n="EosViewType" t="EosViewType">1</e>
    <a n="Interactor Name">"Spacing"</a>
    <str n="Caption">"Untitled"</str>
    <e n="EosInteractorType"
        t="EosInteractorType">0</e>
    <l n="Min Spacer Size">2</l>

```

```

        <l n="Max Spacer Size">2000</l>
    }</tbl> ]</seq>
}</tbl> ]</seq>
    <e n="Layout Style" t="EosOrientation">0</e>
}</tbl> ]</seq>
}</tbl>
<tbl n="Parent Descriptor">{
    <e n="EosViewType" t="EosViewType">2</e>
    <a n="Interactor Name">"MFC Dialog"</a>
    <str n="Caption">"Dialog"</str>
    <e n="EosInteractorType" t="EosInteractorType">0</e>
    <b n="Margin">T</b>
    <e n="Bulletin Board Size" t="EosBulletinBoardSize">2</e>
    <pic n="Background Bitmap">""</pic>
    <e n="Background Bitmap Layout" t="EosBitmapLayout">0</e>
    <e n="EosStructType" t="EosStructType">1</e>
    <a n="Data Type">"PatentIntObject^IntObject"</a>
    <a n="Field Name">""</a>
    <a n="Editor Name">"EosContainerEditor"</a>
    <a n="eosEffectiveTypeName">""</a>
}</tbl>
<tbl n="Shell Descriptor">{
    <e n="EosViewType" t="EosViewType">0</e>
    <a n="Interactor Name">"MFC Dialog"</a>
    <l n="Environment Index">0</l>
    <str n="Caption">"Dialog"</str>
    <e n="EosInteractorType" t="EosInteractorType">0</e>
    <l n="Min Container Width">50</l>
    <l n="Min Container Height">50</l>
    <seq n="View Children">[ <tbl/> ]</seq>
    <pic n="Minimized Icon">"COMPANY.ICO"</pic>
    <l n="Width">287</l>
    <l n="Height">239</l>
}</tbl>
<pic n="Palette Bitmap">""</pic>
<a n="eosShellType">"EosCWndShellView"</a>
<a n="class">"PatentIntObject^IntObject"</a>
}</tbl>
}</tbl>
}</tbl>
}</tbl>
<tbl n="COM Import Type Libs">{
    <tbl n="PatentIntObject">{
        <str n="COM File Path">"D:\COMObjects\PatentInt\PatentIntObject.dll"</str>
        <str n="COM TypeLib Guid">"{44A4DF20-5EDF-11D3-99EE-00A0C98C852D}"</str>
        <l n="COM Major Version">1</l>
        <l n="COM Minor Version">0</l>
        <str n="Pretty Name">"PatentIntObject (Ver 1.0)"</str>
        <str n="TimeStamp">"29291246 1275119184"</str>
    }</tbl>
}</tbl>
<tbl n="Client Management">{
    <b n="Use Client Manager">T</b>
    <a n="Client Manager Class">"PatentIntObject^IntObject"</a>
}</tbl>
<tbl n="Resources List">{
    <tbl n="Pictures">{
        <seq n="Pictures">[ <str/> ]</seq>
    }</tbl>
}</tbl>
}</tbl>
}

```